

R-1: Residential – 1 Unit/Acre

1. **Purpose.** To provide areas for low density residential uses in less intensely developed areas. R-1 tracts should abut or be in close proximity to existing large lot single family development, making R-1 an appropriate transition district between rural and higher density areas. This District implements the *Residential/Low Density* future land use classification of the GROWTH PLAN.

R-1 Summary	
Primary Uses	Detached Single-Family, Civic
Max. Density	1 unit/acre (cluster allowed)

2. **Authorized Uses.** Table 3.5 lists the uses authorized in the R-1 District.
3. **Intensity/Density.** Subject to the density bonus provisions of this Code, and other development standards in this Code, the following density provisions shall apply:
 - a. Maximum gross density shall not exceed one (1) dwelling per acre;
 - b. Minimum lot size shall be one (1) acre, except as provided in the cluster provisions; and
 - c. Density shall also conform to the minimum and maximum densities identified in the Growth Plan.

Zoning District	Minimum Lot Size ^{12,13}		Minimum Street Frontage ¹²	Minimum Setbacks ¹ (Principal/Accessory Building)			Max. Lot Coverage (%)	Max. FAR	Max. Height (ft.)
	Area (sq. ft.)	Width ¹¹ (ft.)		Front ⁸ (ft.)	Side (ft.)	Rear ⁸ (ft.)			
See Section	3.2.B	3.2.C	3.2.D	3.2.E	3.2.E	3.2.E	3.2.F	3.2.G	3.2.H

Urban Residential Zoning Districts

R-1	1 Acres	100	50 ²	20/25	15/3	30/10	20	0.40 ³	35
-----	---------	-----	-----------------	-------	------	-------	----	-------------------	----

GENERAL NOTE: See the Alternative Residential Development Standards of Chapter Five for additional information regarding flagpole lots, attached housing, zero lot line and cluster development.

Some properties might also be subject to additional restrictions and/or overlay zones.

FOOTNOTES:

- 1 Minimum front yard setback for garage, carport or other vehicle storage space (principal and accessory) shall be twenty feet (20'), measured from the storage entrance to the property line.
- 2 Minimum street frontage on cul-de-sac is thirty feet (30').
- 3 FAR (Floor Area Ratio) applies only to nonresidential uses.
- 4 Maximum height is forty feet (40') if adjacent to any residential zoning district.
- 5 10/5 foot setback if abutting a residential zone or use.
- 6 Maximum height for structures in the C-1 and I-O zone districts which are along Horizon Drive and north of G Road (including Crossroad Boulevard and Horizon Court) shall be sixty-five feet (65').
- 7 Setbacks may be reduced to zero feet (0') by the Director.
- 8 The setback from the street along the rear half of a double frontage lot shall be the greater of the required front yard setback or the required rear yard setback.
- 9 Maximum building height may be increased up to sixty-five feet (65') if the building setbacks (front, side and rear) are at least 1.5 times the overall height of the building. A minimum of fifty percent (50%) of the resulting front yard setback area must be landscaped per Code requirements.
- 10 A minimum side yard setback of six feet (6') will be required where perimeter side yard landscaping is required.
- 11 For all lots created after October 22, 2006, garage doors cannot exceed 45% of the width of the street facing façade on single family detached dwellings, two-family dwellings, or duplex dwellings in the R-8, R-12, R-16 and R-24 zone districts. The garage door(s) can be up to a maximum of 60% of the street facing façade if the garage door is recessed at least 4' behind the front façade of the house.
- 12 Minimum lot size, minimum lot width, and minimum street frontage does not apply to single family attached dwellings or multifamily dwellings in R-8, R-12, R-16 and R-24 zone districts. See Section 6.3.B.7 for outdoor living area requirements.
- 13 Minimum lot size and lot width for a duplex or stacked unit shall be one and one-half times the standards shown for the R-8, R-12, R-16 and R-24 zone districts.
- 14 For all dwellings in the R-8, R-12, R-16 and R-24 zone districts, the front yard setback shall be a minimum of twenty (20) feet for principal structures with street facing garages and fifteen (15) feet for principal structures with alley loaded garages or with garages located in the rear yard or principal structures with no garage.
- 15 Maximum lot coverage does not apply to single family attached dwellings or multifamily dwellings. See Section 6.3.B.7 for outdoor living area requirements.